

This is a list of all corrections made to *Computers & Typesetting*, Volume A (also known as *The T<sub>E</sub>Xbook*), between 1992 and the publication of the final printed version of that book in September 1996.

---

|                  |          |
|------------------|----------|
| Page A31, line 8 | (3/6/95) |
|------------------|----------|

T<sub>E</sub>X begins its error messages with ‘!’, and it shows what it was reading at the

---

|                  |           |
|------------------|-----------|
| Page A46, line 8 | (1/22/95) |
|------------------|-----------|

out for the occasional times when the adjacent characters aa, ae, and o/ should not be

---

|               |          |
|---------------|----------|
| Page A49, top | (9/1/96) |
|---------------|----------|

[The copy on pages 45 and 46 was significantly shortened in the seventeenth printing (October 1989 — see **errata.five**), and exercise 8.7 moved back to page 48 as a result. But the printer was not asked to change page 49; hence exercise 8.7 appeared twice, on pages 48 and 49, during a six-year period.]

---

|                            |           |
|----------------------------|-----------|
| Page A282, lines 11 and 12 | (4/18/96) |
|----------------------------|-----------|

unadorned ⟨box⟩ command, except that the new box being appended to the vertical list is also shifted left or right by the specified amount.

---

|  |           |
|--|-----------|
| Page A285, lines 15–17 from the bottom | (4/18/96) |
|--|-----------|

- \raise⟨dimen⟩⟨box⟩, \lower⟨dimen⟩⟨box⟩. This acts just like an unadorned ⟨box⟩ command, except that the new box being appended to the horizontal list is also shifted up or down by the specified amount.

---

|                                      |           |
|--------------------------------------|-----------|
| Page A290, lines 4–6 from the bottom | (4/18/96) |
|--------------------------------------|-----------|

- \raise⟨dimen⟩⟨box⟩, \lower⟨dimen⟩⟨box⟩. This acts just like an unadorned ⟨box⟩ command, except that the new box being put into the nucleus is also shifted up or down by the specified amount.

---

|                             |           |
|-----------------------------|-----------|
| Page A331, bottom two lines | (6/25/93) |
|-----------------------------|-----------|

if you know that the enclosing box is sufficiently small; and \leaders\vrule\vfill works fine in vertical mode.

---

|                        |          |
|------------------------|----------|
| Page A354, lines 19–22 | (3/5/95) |
|------------------------|----------|

```
\def\sett@b{\ifx\next\+\def\nxt{\afterassignment\s@tt@b\let\nxt}%
 \else\let\nxt=\s@tcols\fi
 \let\next=\relax \nxt} % turn off \outerness
\def\s@tt@b{\let\nxt=\relax \us@false\m@ketabbox}
```

---

Page A356, lines 13–20 from the bottom (3/5/95)

```
\def\oalign#1{\leavevmode\vtop{\baselineskip0pt \lineskip.25ex
  \ialign{##\crcr#1\crcr}}}\def\o@align{\lineskiplimit=0pt \oalign}
\def\ooalign{\lineskiplimit=-\maxdimen \oalign} % chars over each other
\def\sh@ft#1{\dimen0=.00#1ex \multiply\dimen0 by\fontdimen1\font
  \kern-.0156\dimen0} % compensate for slant in lowered accents
\def\d#1{\o@align{\relax#1\crcr\hidewidth\sh@ft{10}.\hidewidth}}
\def\b#1{\o@align{\relax#1\crcr\hidewidth\sh@ft{29}%
  \vbox to .2ex{\hbox{\char'26}\vss}\hidewidth}}
```

---

Page A357, lines 7–12 (8/1/95)

```
\def\rightarrowarrowfill{$\m@th \smash- \mkern-7mu
  \cleaders\hbox{$\mkern-2mu \smash- \mkern-2mu$}\hfill
  \mkern-7mu \mathord\rightarrow$}
\def\leftarrowarrowfill{$\m@th \mathord\leftarrow \mkern-7mu
  \cleaders\hbox{$\mkern-2mu \smash- \mkern-2mu$}\hfill
  \mkern-7mu \smash-$}
```

---

Page A357, lines 16–20 (6/25/93)

```
\setbox0=\hbox{$\braceleft$}%
\braceleft\leaders\vrule height\ht0 depth0pt\hfill\bracerd
\bracerd\leaders\vrule height\ht0 depth0pt\hfill\braceru$}
\def\downbracefill{$\m@th
\setbox0=\hbox{$\braceleft$}%
\braceleft\leaders\vrule height\ht0 depth0pt\hfill\braceru
\braceru\leaders\vrule height\ht0 depth0pt\hfill\bracerd$}
```

[Also delete lines 21 and 22, as the usage is no longer restricted.]

---

Page A359, line 25 (3/5/95)

```
\def\skew#1#2#3{{\muskip0=#1mu \mkern.5\muskip0
  #2\mkern-.5\muskip0\#3}\mkern.5\muskip0}\mkern-.5\muskip0\{}}
```

---

Page A360, line 5 from the bottom (3/5/95)

```
\def\@eq#1#2{\lower.5pt\vbox{\lineskiplimit\maxdimen \lineskip-.5pt
```

---

Page A361, lines 19 and 20 (3/5/95)

```
\def\bmod{\nonscript\mskip-\medmuskip \mkern5mu
  \mathbin{\rm mod} \penalty900 \mkern5mu \nonscript\mskip-\medmuskip}
```

---

Page A362, lines 14–18

(3/5/95)

```
\everycr{\noalign{\ifdt@p \global\dt@pfalse \ifdim\prevdepth>-1000pt
  \vskip-\lineskip\limits \vskip\normalineskip\limits \fi
  \else \penalty\interdisplaylinepenalty \fi}}}
\def\@lign{\tabskip=0pt\everycr={}} % restore inside \displ@y
\def\displaylines#1{\displ@y \tabskip=0pt}
```

---

Page A363, lines 8–9 from the bottom

(12/8/89)

```
\if@mid \dimen@=\ht0 \advance\dimen@ by\dp\z@ \advance\dimen@ by12\p@
 \advance\dimen@ by\pagetotal \advance\dimen@ by-\pageshrink
```

---

Page A364, line 5 from the bottom

(4/11/96)

```
\def\fmtname{plain}
\def\fmtversion{3.141592} % identifies the current format
```

---

Page A374, line 3

(3/7/95)

```
\begingroup\aftergroup\def\aftergroup\asts\aftergroup{
```

---

Page A410, line 23

(4/18/96)

Tema con variazione \ (su un tema differente)

(This implies a corresponding correction to page 411.)

---

Page A451, line 16

(8/8/93)

But when plain TeX is tried on the name of a famous Welsh village,

---

Page A462, right column

(3/5/95)

```
\cong ( ≅ ), 151, 360, 436.
```

---

Page A463, right column

(6/25/93)

direct sum, see \oplus.

---

Page A464, left column

(6/25/93)

```
\downbracefill ( ~~~~ ), 225–226, 357.
```

---

Page A483, lines 15–21

(4/29/96)

```
email: {\tt TUG@tug.org}
internet: {\tt http://www.tug.org/}
}
```

Don't delay, subscribe today! That address again is

TeX Users Group  
email: [TUG@tug.org](mailto:TUG@tug.org)  
internet: <http://www.tug.org/>