

The **fontscale** package

A flexible interface for setting font sizes

Oliver Beery

Version 4.1.0 4 April 2025

1 Loading the package

```
% LaTeXe version 2023-11-01 added \IfExplAtLeastTF.  
\NeedsTeXFormat{LaTeXe}[2023-11-01]  
\DeclareRelease{v3}{2025-02-13}{fontscale-v3.sty}  
\DeclareCurrentRelease{}{2025-04-04}  
\ProvidesExplPackage{fontscale}{2025-04-04}{4.1.0}  
  {A flexible interface for setting font sizes}  
  
% l3kernel version 2023-11-09 added documentation for \c_nan_fp.  
\IfExplAtLeastTF { 2023-11-09 } {}  
{  
  \msg_new:nnn { fontscale } { l3kernel-out-of-date }  
  {  
    The~ fontscale~ package~ could~ not~ load. \\  
    This~ package~ requires~  
    L3~ programming~ layer~ version~ 2023-11-09~ or~ newer.  
  }  
  \msg_critical:nn { fontscale } { l3kernel-out-of-date }  
}  
  
% fontscale defines \scalefont.  
\cs_new_protected:Npn \__fontscale_hook_scalefnt:  
{  
  \msg_new:nnn { fontscale } { package-scalefnt }  
  {  
    The~ fontscale~ package~ is~ incompatible~ with~ the~ 'scalefnt'~  
    package.  
  }  
  \msg_error:nn { fontscale } { package-scalefnt }  
}  
\hook_gput_code:nnn { package / scalefnt / before } { fontscale }  
  { \__fontscale_hook_scalefnt: }
```

2 Messages

```
\msg_new:nnn { fontscale } { key-musical-base-invalid }  
{  
  Invalid~ value~ '#1'~ \msg_line_context:. \\
```

```

The~ value~ of~ the~ key~ 'musical / base'~ must~ be~ a~ positive~ length~
and~ less~ than~ 2048pt.
}

\msg_new:nnn { fontscale } { key-musical-ratio-invalid }
{
  Invalid~ value~ '#1'~ \msg_line_context:. \\
  The~ value~ of~ the~ key~ 'musical / ratio'~ must~ be~ greater~ than~ 1.
}

\msg_new:nnn { fontscale } { key-musical-notes-invalid }
{
  Invalid~ value~ '#1'~ \msg_line_context:. \\
  The~ value~ of~ the~ key~ 'musical / notes'~ must~ be~ a~ positive~
  integer.
}

\msg_new:nnn { fontscale } { name-font-size-invalid }
{
  Invalid~ font~ size~ of~ \iow_char:N \\#1~ '#2'~ \msg_line_context:. \\
  The~ font~ size~ must~ be~ a~ positive~ length~ and~ less~ than~ 2048pt.
}

\msg_new:nnn { fontscale } { key-name-scale-overwritten }
{
  The~ font~ size~ set~ by~ the~ key~ '#1 / scale'~
  has~ been~ overwritten~ by~ the~ key~ '#1 / size'~ \msg_line_context:.

}

\msg_new:nnn { fontscale } { key-name-baselineskip-size-ratio-overwritten }
{
  The~ font~ baselineskip~ set~ by~ the~ key~ '#1 / baselineskip-size-ratio'~
  has~ been~ overwritten~ by~ the~ key~ '#1 / baselineskip'~
  \msg_line_context:.

}

\msg_new:nnn { fontscale } { font-sizes-wrong-order }
{
  The~ font~ sizes~ are~ not~ in~ the~ correct~ order~ \msg_line_context:. \\
  The~ lengths~ of~ the~ font~ sizes~ should~ be~ ordered~ from~
  \iow_char:N \tiny~ to~ \iow_char:N \Huge.
}
}

% This package tests for math mode only at the user level because this is not
% necessary for programmers. To avoid confusion, this package issues a warning
% when \fontsize + \selectfont would be used in math mode because it would not
% change the math font size.
\msg_new:nnn { fontscale } { math-mode-warning }
{
  '#1'~ does~ nothing~ if~ used~ in~ math~ mode~ \msg_line_context:.
}
% \@ and \par cannot be used in math mode.
\msg_new:nnn { fontscale } { math-mode-error }
{
  '#1'~ cannot~ be~ used~ in~ math~ mode~ \msg_line_context:.
}

\msg_new:nnn { fontscale } { font-size-invalid }
{

```

```

    Invalid~ font~ size~ '#1'~ \msg_line_context:. \\
    The~ font~ size~ must~ be~ a~ positive~ length~ and~ less~ than~ 2048pt.
}

\msg_new:nnn { fontscale } { font-step-invalid }
{
    Invalid~ font~ step~ '#1'~ \msg_line_context:. \\
    The~ font~ step~ must~ equal~ the~ font~ step~ of~
    any~ font~ size~ command~ from~ \iow_char:N \\tiny~ to~ \iow_char:N \\Huge~
    unless~ the~ value~ of~ the~ key~ 'typographic-scale'~ is~ 'musical'.
}
\msg_new:nnn { fontscale } { current-font-step-invalid }
{
    The~ new~ font~ step~ could~ not~ be~ calculated~
    because~ the~ current~ font~ step~ is~ undefined~ \msg_line_context:.
}

```

3 Some variables

```
% Declares and initializes the font step, font scale, font size, and font
% baselineskip of each font size command from \tiny to \Huge.
```

```

\fp_const:Nn \c_fontscalesize_step_fp      { -4 }
\fp_const:Nn \c_fontscalescriptsize_step_fp { -3 }
\fp_const:Nn \c_fontscalefootnotesize_step_fp { -2 }
\fp_const:Nn \c_fontscalesmall_step_fp     { -1 }
\fp_const:Nn \c_fontscalenormalsize_step_fp {  0 }
\fp_const:Nn \c_fontscalelarge_step_fp     {  1 }
\fp_const:Nn \c_fontscaleLarge_step_fp     {  2 }
\fp_const:Nn \c_fontscaleLARGE_step_fp     {  3 }
\fp_const:Nn \c_fontscalehuge_step_fp      {  4 }
\fp_const:Nn \c_fontscaleHuge_step_fp      {  5 }

\fp_const:Nn \c_fontscalenormalsize_fp { 1 }

\fp_new:N \l_fontscalesize_fp
\fp_new:N \l_fontscalescriptsize_fp
\fp_new:N \l_fontscalefootnotesize_fp
\fp_new:N \l_fontscalesmall_fp
\fp_new:N \l_fontscalelarge_fp
\fp_new:N \l_fontscaleLarge_fp
\fp_new:N \l_fontscaleLARGE_fp
\fp_new:N \l_fontscalehuge_fp
\fp_new:N \l_fontscaleHuge_fp

\dim_new:N \l_fontscalesize_dim
\dim_new:N \l_fontscalescriptsize_dim

```

```

\dim_new:N \l_fontscales_footnotesize_size_dim
\dim_new:N \l_fontscales_small_size_dim
\dim_new:N \l_fontscales_normalsize_size_dim
\dim_new:N \l_fontscales_large_size_dim
\dim_new:N \l_fontscales_Large_size_dim
\dim_new:N \l_fontscales_LARGE_size_dim
\dim_new:N \l_fontscales_huge_size_dim
\dim_new:N \l_fontscales_Huge_size_dim

\skip_new:N \l_fontscales_tiny_baselineskip_skip
\skip_new:N \l_fontscales_scriptsizes_baselineskip_skip
\skip_new:N \l_fontscales_footnotesize_baselineskip_skip
\skip_new:N \l_fontscales_small_baselineskip_skip
\skip_new:N \l_fontscales_normalsize_baselineskip_skip
\skip_new:N \l_fontscales_large_baselineskip_skip
\skip_new:N \l_fontscales_Large_baselineskip_skip
\skip_new:N \l_fontscales_LARGE_baselineskip_skip
\skip_new:N \l_fontscales_huge_baselineskip_skip
\skip_new:N \l_fontscales_Huge_baselineskip_skip

\fp_set:Nn \l_fontscales_tiny_scale_fp      { 0.6 }
\fp_set:Nn \l_fontscales_scriptsizescale_fp { 0.7 }
\fp_set:Nn \l_fontscales_footnotesizescale_fp { 0.8 }
\fp_set:Nn \l_fontscales_small_scale_fp     { 0.9 }
\fp_set:Nn \l_fontscales_large_scale_fp     { 1.1 }
\fp_set:Nn \l_fontscales_Large_scale_fp     { 1.2 }
\fp_set:Nn \l_fontscales_LARGE_scale_fp     { 1.4 }
\fp_set:Nn \l_fontscales_huge_scale_fp      { 1.6 }
\fp_set:Nn \l_fontscales_Huge_scale_fp      { 1.8 }

\dim_set:Nn \l_fontscales_tiny_size_dim      { 6pt }
\dim_set:Nn \l_fontscales_scriptsizesize_dim { 7pt }
\dim_set:Nn \l_fontscales_footnotesizesize_dim { 8pt }
\dim_set:Nn \l_fontscales_small_size_dim     { 9pt }
\dim_set:Nn \l_fontscales_normalsize_size_dim { 10pt }
\dim_set:Nn \l_fontscales_large_size_dim     { 11pt }
\dim_set:Nn \l_fontscales_Large_size_dim     { 12pt }
\dim_set:Nn \l_fontscales_LARGE_size_dim     { 14pt }
\dim_set:Nn \l_fontscales_huge_size_dim      { 16pt }
\dim_set:Nn \l_fontscales_Huge_size_dim      { 18pt }

\skip_set:Nn \l_fontscales_tiny_baselineskip { 7.2pt }
\skip_set:Nn \l_fontscales_scriptsizes_baselineskip { 8.4pt }
\skip_set:Nn \l_fontscales_footnotesize_baselineskip { 9.6pt }
\skip_set:Nn \l_fontscales_small_baselineskip { 10.8pt }
\skip_set:Nn \l_fontscales_normalsize_baselineskip { 12 pt }
\skip_set:Nn \l_fontscales_large_baselineskip { 13.2pt }

```

```

\skip_set:Nn \l_fontscales_Large_baselineskip_skip      { 14.4pt }
\skip_set:Nn \l_fontscales_LARGE_baselineskip_skip     { 16.8pt }
\skip_set:Nn \l_fontscales_huge_baselineskip_skip      { 19.2pt }
\skip_set:Nn \l_fontscales_Huge_baselineskip_skip       { 21.6pt }

% Stores the current font step, font scale, font size, and font baselineskip.
% They are set in the selectfont hook.
\fp_new:N   \l_fontscales_step_fp
\fp_new:N   \l_fontscales_scale_fp
\dim_new:N  \l_fontscales_size_dim
\skip_new:N \l_fontscales_baselineskip_skip

% Some optimizations for \__fontscales_hook_selectfont:
% (1) Tries to avoid computing a floating point expression by using
% \fp_set_eq:NN when the font size equals the font size of any font size
% command from \tiny to \Huge.
% (2) Prefers \if_dim:w to \dim_compare:nNnTF or \dim_case:nnTF.
% (3) Tests the font sizes roughly in order of usage rate.
% (4) The case when the font size equals that of \normalsize is optimized
% further because it is by far the most common case.
% \f@size and \f@baselineskip are not used elsewhere in this package.
\cs_new_protected:Npn \__fontscales_hook_selectfont:
{
    \dim_set:Nn \l_fontscales_size_dim { \f@size pt }
    \skip_set:Nn \l_fontscales_baselineskip_skip { \f@baselineskip }
    \if_dim:w \l_fontscales_size_dim = \l_fontscales_normalsize_size_dim
        \exp_after:wN \__fontscales_hook_selectfont_normalsize:
    \else:
        \exp_after:wN \__fontscales_hook_selectfont_auxi:
    \fi:
}
\cs_new_protected:Npn \__fontscales_hook_selectfont_normalsize:
{
    \fp_set_eq:NN \l_fontscales_step_fp  \c_fontscales_normalsize_step_fp
    \fp_set_eq:NN \l_fontscales_scale_fp \c_fontscales_normalsize_scale_fp
}
\cs_new_protected:Npn \__fontscales_hook_selectfont_auxi:
{
    \if_dim:w \l_fontscales_size_dim = \l_fontscales_small_size_dim
        \exp_after:wN \__fontscales_hook_selectfont_small:
    \fi:
    \if_dim:w \l_fontscales_size_dim = \l_fontscales_large_size_dim
        \exp_after:wN \__fontscales_hook_selectfont_large:
    \fi:
    \if_dim:w \l_fontscales_size_dim = \l_fontscales_footnotesize_size_dim
        \exp_after:wN \__fontscales_hook_selectfont_footnotesize:
    \fi:
    \if_dim:w \l_fontscales_size_dim = \l_fontscales_Large_size_dim

```

```

\exp_after:wN \__fontscale_hook_selectfont_Large:
\fi:
\if_dim:w \l_fontscale_size_dim = \l_fontscale_scriptsize_size_dim
  \exp_after:wN \__fontscale_hook_selectfont_scriptsizes:
\fi:
\if_dim:w \l_fontscale_size_dim = \l_fontscale_LARGE_size_dim
  \exp_after:wN \__fontscale_hook_selectfont_LARGE:
\fi:
\if_dim:w \l_fontscale_size_dim = \l_fontscale_tiny_size_dim
  \exp_after:wN \__fontscale_hook_selectfont_tiny:
\fi:
\if_dim:w \l_fontscale_size_dim = \l_fontscale_huge_size_dim
  \exp_after:wN \__fontscale_hook_selectfont_huge:
\fi:
\if_dim:w \l_fontscale_size_dim = \l_fontscale_Huge_size_dim
  \exp_after:wN \__fontscale_hook_selectfont_Huge:
\fi:
\__fontscale_hook_selectfont_auxii:
\prg_break:
\prg_break_point:
}
\tl_map_inline:nn
{
  {tiny} {scriptsize} {footnotesize} {small}
  {large} {Large} {LARGE} {huge} {Huge}
}
{
  \cs_new_protected:cpe { __fontscale_hook_selectfont_#1: }
  {
    \fp_set_eq:NN \exp_not:N \l_fontscale_step_fp
      \exp_not:c { c_fontscale_#1_step_fp }
    \fp_set_eq:NN \exp_not:N \l_fontscale_scale_fp
      \exp_not:c { l_fontscale_#1_scale_fp }
    \exp_not:N \prg_break:
  }
}
\cs_new_protected:Npn \__fontscale_hook_selectfont_auxii:
{
  \fp_set:Nn \l_fontscale_scale_fp
  {
    \dim_to_fp:n { \l_fontscale_size_dim } /
    \l__fontscale_normalsize_size_fp
  }
  \str_if_eq:VnTF \l_fontscale_typographic_scale_str { musical }
  {
    \fp_set:Nn \l_fontscale_step_fp
    {
      \l_fontscale_musical_selectfont_fp *
      ln
    }
  }
}

```

```

(
  \dim_compare:nNnTF \l_fontscales_musical_base_dim =
    \l_fontscales_normalsize_size_dim
    { \l_fontscales_scale_fp }
  {
    \dim_to_fp:n { \l_fontscales_size_dim } /
    \l_fontscales_musical_base_fp
  }
)
}
{
  \fp_set_eq:NN \l_fontscales_step_fp \c_nan_fp
}
\hook_gput_code:nnn { selectfont } { fontscales }
{ \__fontscales_hook_selectfont: }

% Used only to speed up floating point calculations.
\fp_new:N \l_fontscales_normalsize_size_fp
\fp_set:Nn \l_fontscales_normalsize_size_fp { 10 }
\fp_new:N \l_fontscales_musical_base_fp
\fp_new:N \l_fontscales_musical_notes_fp
\fp_new:N \l_fontscales_musical_selectfont_fp
\fp_const:Nn \c_fontscales_five_fp { 5 }

% Scratch variables
\clist_new:N \l_fontscales_tmp_clist
\fp_new:N \l_fontscales_tmp_fp

```

4 Some functions

```

% Variants of l3kernel functions
\cs_generate_variant:Nn \msg_error:nnnn { nnnv }
% Similar to \fontsize + \selectfont, except that it:
% (1) Takes dimen and skip expressions as arguments without appending a default
% unit of 'pt'.
% (2) Avoids the issue where \f@size is set to the new font size before the
% second argument is expanded.
% (3) Issues a user-friendly error message if the font size is invalid.
\cs_new_protected:Npn \__fontscales_set_font_size:nn #1#2
{
  \use:e
  {
    \__fontscales_set_font_size_aux:nn { \dim_eval:n {#1} }
      { \skip_eval:n {#2} }
  }
}

```

```

\cs_new_protected:Npn \__fontscale_set_font_size_aux:nn #1#2
{
    \dim_compare:nTF { \c_zero_dim < #1 < 2048pt }
        { \fontsize {#1} {#2} \selectfont }
        { \msg_error:nnn { fontscale } { font-size-invalid } {#1} }
}
% Similar to \__fontscale_set_font_size:nn, except that it sets the font
% baselineskip equal to the new font size times the baselineskip-size-ratio.
\cs_new_protected:Npn \__fontscale_set_font_size:n #1
{
    \exp_args:Ne \__fontscale_set_font_size_aux:n { \dim_eval:n {#1} } }
\cs_new_protected:Npn \__fontscale_set_font_size_aux:n #1
{
    \dim_compare:nTF { \c_zero_dim < #1 < 2048pt }
        {
            \fontsize {#1}
            {
                \fp_to_dim:n
                    { \dim_to_fp:n {#1} * \l__fontscale_baselineskip_size_ratio_fp }
            }
            \selectfont
        }
        { \msg_error:nnn { fontscale } { font-size-invalid } {#1} }
}
\cs_new:Npn \__fontscale_fp_eval_round:n #1
{
    \fp_eval:n { round ( #1 , \c__fontscale_five_fp ) } }

```

5 Define keys

```

\clist_set:Nn \l__fontscale_tmp_clist
{
    classic-10pt , classic-11pt , classic-12pt
    , classic-10bp , classic-11bp , classic-12bp
    , classic-10dd , classic-11dd , classic-12dd
    , classic-10nd , classic-11nd , classic-12nd , musical
}
\str_new:N \l__fontscale_typographic_scale_str
\keys_define:nn { fontscale }
{
    typographic-scale .choices:Vn = \l__fontscale_tmp_clist
        { \str_set:Nn \l__fontscale_typographic_scale_str {#1} }
    , typographic-scale .value_required:n = true
}
\clist_map_inline:Nn \l__fontscale_tmp_clist
{
    \keys_define:nn { fontscale }
    {
        #1 .meta:n = { typographic-scale = #1 }
    }
}
```

```

        , #1 .value_forbidden:n = true
    }
}
\keys_define:nn { fontscale / musical }
{
    base .dim_set:N = \l__fontscale_musical_base_dim
    , base .value_required:n = true

    , ratio .fp_set:N = \l__fontscale_musical_ratio_fp
    , ratio .value_required:n = true

    , notes .int_set:N = \l__fontscale_musical_notes_int
    , notes .value_required:n = true
}
\keys_define:nn { fontscale }
{
    baselineskip-size-ratio .fp_set:N =
        \l__fontscale_baselineskip_size_ratio_fp
    , baselineskip-size-ratio .value_required:n = true
}
\tl_map_inline:nn
{
    {tiny} {scriptsize} {footnotesize} {small} {normalsize}
    {large} {Large} {LARGE} {huge} {Huge}
}
{
    \keys_define:nn { fontscale / #1 }
    {
        scale .tl_set:c = { l__fontscale_#1_scale_tl }
        , scale .value_required:n = true

        , size .tl_set:c = { l__fontscale_#1_size_tl }
        , size .value_required:n = true

        , baselineskip .tl_set:c = { l__fontscale_#1_baselineskip_tl }
        , baselineskip .value_required:n = true

        , baselineskip-size-ratio .tl_set:c =
            { l__fontscale_#1_baselineskip_size_ratio_tl }
        , baselineskip-size-ratio .value_required:n = true
    }
}
\keys_define:nn { fontscale }
{
    #1 .tl_set:c = { l__fontscale_#1_size_tl }
    , #1 .value_required:n = true
}
}

```

```
\keys_define:nn { fontscale / normalsize } { scale .undefine: }
```

6 Initialize and pre-compile keys

```
% Pre-compiles the keys with their initial values and then sets the keys to
% their initial values. This is significantly faster than using .initial:n and
% \keys_preamble:nnN. The special value of \q_no_value is used to test if the
% corresponding key has been set by the user.
\cs_new_protected:Npn \__fontscale_keys_set_initial:
{
    \str_set:Nn \l__fontscale_typographic_scale_str      { classic-10pt }
    \dim_set:Nn \l__fontscale_musical_base_dim          { 10pt }
    \fp_set:Nn \l__fontscale_musical_ratio_fp           { 2 }
    \int_set:Nn \l__fontscale_musical_notes_int          { 5 }
    \fp_set:Nn \l__fontscale_baselineskip_size_ratio_fp { 1.2 }

\tl_map_inline:nn
{
    \l__fontscale_tiny_scale_tl
    \l__fontscale_scriptsize_scale_tl
    \l__fontscale_footnotesize_scale_tl
    \l__fontscale_small_scale_tl
    \l__fontscale_large_scale_tl
    \l__fontscale_Large_scale_tl
    \l__fontscale_LARGE_scale_tl
    \l__fontscale_huge_scale_tl
    \l__fontscale_Huge_scale_tl

    \l__fontscale_tiny_size_tl
    \l__fontscale_scriptsize_size_tl
    \l__fontscale_footnotesize_size_tl
    \l__fontscale_small_size_tl
    \l__fontscale_normalsize_size_tl
    \l__fontscale_large_size_tl
    \l__fontscale_Large_size_tl
    \l__fontscale_LARGE_size_tl
    \l__fontscale_huge_size_tl
    \l__fontscale_Huge_size_tl

    \l__fontscale_tiny_baselineskip_tl
    \l__fontscale_scriptsize_baselineskip_tl
    \l__fontscale_footnotesize_baselineskip_tl
    \l__fontscale_small_baselineskip_tl
    \l__fontscale_normalsize_baselineskip_tl
    \l__fontscale_large_baselineskip_tl
    \l__fontscale_Large_baselineskip_tl
}
```

```

\l_fontscalesetup_LARGE_baselineskip_tl
\l_fontscalesetup_huge_baselineskip_tl
\l_fontscalesetup_Huge_baselineskip_tl

\l_fontscalesetup_tiny_baselineskip_size_ratio_tl
\l_fontscalesetup_scriptsizesetup_baselineskip_size_ratio_tl
\l_fontscalesetup_footnotesizesetup_baselineskip_size_ratio_tl
\l_fontscalesetup_small_baselineskip_size_ratio_tl
\l_fontscalesetup_normalsizesetup_baselineskip_size_ratio_tl
\l_fontscalesetup_largesizesetup_baselineskip_size_ratio_tl
\l_fontscalesetup_Largesizesetup_baselineskip_size_ratio_tl
\l_fontscalesetup_LARGE_baselineskip_size_ratio_tl
\l_fontscalesetup_huge_baselineskip_size_ratio_tl
\l_fontscalesetup_Huge_baselineskip_size_ratio_tl
}

{ \tl_set:Nn ##1 { \q_no_value } }
}

\__fontscalesetup_keys_set_initial:

```

7 Set and process keys

```

\NewDocumentCommand \fontscalesetup { s m }
{
    \mode_if_math:TF
    {
        \msg_warning:nne { fontscale } { math-mode-warning }
        { \token_to_str:N \fontscalesetup }
    }
    {
        \IfBooleanTF #1
        {
            \__fontscalesetup_keys_reset:n {#2}
            \__fontscalesetup_keys_set:n {#2}
        }
    }
\cs_new_protected:Npn \__fontscalesetup_keys_reset:n
{
    \__fontscalesetup_keys_set_initial: \__fontscalesetup_keys_set:n
}
\cs_new_protected:Npn \__fontscalesetup_keys_set:n #1
{
    \keys_set:nn { fontscale } {#1}
    \__fontscalesetup_keys_process:
    \normalsize
    \prg_break:
    \prg_break_point:
}
\cs_new_protected:Npn \__fontscalesetup_keys_process:
{
    \__fontscalesetup_keys_process_start:
}

```

```

  \__fontscale_keys_process_sizes:
  \__fontscale_keys_process_baselineskips:
}

\cs_new_protected:Npn \__fontscale_keys_process_start:
{
  \dim_compare:nF { \c_zero_dim < \l_fontscale_musical_base_dim < 2048pt }
  {
    \msg_error:nnV { fontscale } { key-musical-base-invalid }
    \l_fontscale_musical_base_dim
    \prg_break:
  }
  \fp_compare:nNnF \l_fontscale_musical_ratio_fp > \c_one_fp
  {
    \msg_error:nne { fontscale } { key-musical-ratio-invalid }
    { \fp_use:N \l_fontscale_musical_ratio_fp }
    \prg_break:
  }
  \int_compare:nNnF \l_fontscale_musical_notes_int > 0
  {
    \msg_error:nnV { fontscale } { key-musical-notes-invalid }
    \l_fontscale_musical_notes_int
    \prg_break:
  }
  \str_if_eq:VnT \l_fontscale_typographic_scale_str { musical }
  {
    \fp_set:Nn \l_fontscale_musical_base_fp
    { \dim_to_fp:n { \l_fontscale_musical_base_dim } }
    \fp_set:Nn \l_fontscale_musical_notes_fp
    { \int_use:N \l_fontscale_musical_notes_int }
    \fp_set:Nn \l_fontscale_musical_selectfont_fp
    {
      \int_use:N \l_fontscale_musical_notes_int /
      \ln ( \l_fontscale_musical_ratio_fp )
    }
  }
}

\cs_new_protected:Npn \__fontscale_keys_process_sizes:
{
  \quark_if_no_value:NTF \l_fontscale_normalsize_size_tl
  {
    \dim_set:Nn \l_fontscale_normalsize_size_dim
    {
      \str_if_eq:VnTF \l_fontscale_typographic_scale_str { musical }
      { \l_fontscale_musical_base_dim }
      {
        \exp_after:wN \__fontscale_keys_process_sizes:w
        \l_fontscale_typographic_scale_str
      }
    }
  }
}

```

```

}
{
  \dim_set:Nn \l_fontscales_normalsize_size_dim
    { \l_fontscales_normalsize_size_tl }
  \tl_set:NV \l_fontscales_normalsize_size_tl
    \l_fontscales_normalsize_size_dim
  \dim_compare:nF
    { \c_zero_dim < \l_fontscales_normalsize_size_dim < 2048pt }
    {
      \msg_error:nnnV { fontscale } { name-font-size-invalid }
        { normalsize } \l_fontscales_normalsize_size_dim
      \prg_break:
    }
}
\fp_set:Nn \l_fontscales_normalsize_size_fp
  { \dim_to_fp:n { \l_fontscales_normalsize_size_dim } }
\cs_set_eq:Nc \__fontscales_keys_process_sizes_aux:n
  {
    __fontscales_keys_process_sizes_ \l_fontscales_typographic_scale_str :n
  }
\tl_map_function:nN
  {
    {tiny} {scriptsize} {footnotesize} {small}
    {large} {Large} {LARGE} {huge} {Huge}
  }
  \__fontscales_keys_process_sizes:n
\dim_compare:nF
  {
    \l_fontscales_tiny_size_dim
    < \l_fontscales_scriptsize_size_dim
    < \l_fontscales_footnotesize_size_dim
    < \l_fontscales_small_size_dim
    < \l_fontscales_normalsize_size_dim
    < \l_fontscales_large_size_dim
    < \l_fontscales_Large_size_dim
    < \l_fontscales_LARGE_size_dim
    < \l_fontscales_huge_size_dim
    < \l_fontscales_Huge_size_dim
  }
  { \msg_warning:nn { fontscale } { font-sizes-wrong-order } }
}
\cs_new:Npn \__fontscales_keys_process_sizes:w #1- { }
\tl_map_inline:nn { {pt} {bp} {dd} {nd} }
{
  \cs_new_protected:cpx { __fontscales_keys_process_sizes_classic-10#1:n } ##1
  {
    \dim_set:cn { l_fontscales_##1_size_dim }
    {
      \str_case:nn {##1}

```

```

{
  { tiny } { 6 }
  { scriptsize } { 7 }
  { footnotesize } { 8 }
  { small } { 9 }
  { large } { 11 }
  { Large } { 12 }
  { LARGE } { 14 }
  { huge } { 16 }
  { Huge } { 18 }
}
#1
}
}

\cs_new_protected:cpn { __fontscale_keys_process_sizes_classic-11#1:n } ##1
{
  \dim_set:cn { l_fontscale_##1_size_dim }
  {
    \str_case:nn {##1}
    {
      { tiny } { 7 }
      { scriptsize } { 8 }
      { footnotesize } { 9 }
      { small } { 10 }
      { large } { 12 }
      { Large } { 14 }
      { LARGE } { 16 }
      { huge } { 18 }
      { Huge } { 21 }
    }
    #1
  }
}

\cs_new_protected:cpn { __fontscale_keys_process_sizes_classic-12#1:n } ##1
{
  \dim_set:cn { l_fontscale_##1_size_dim }
  {
    \str_case:nn {##1}
    {
      { tiny } { 8 }
      { scriptsize } { 9 }
      { footnotesize } { 10 }
      { small } { 11 }
      { large } { 14 }
      { Large } { 16 }
      { LARGE } { 18 }
      { huge } { 21 }
      { Huge } { 24 }
    }
  }
}

```

```

        #1
    }
}
\cs_new_protected:Npn \__fontscale_keys_process_sizes_musical:n #1
{
    \dim_set:cn { l_fontscalesize_dim } #1
    {
        \fp_to_dim:n
        {
            \l_fontscalesize_musical_base_fp * \l_fontscalesize_musical_ratio_fp ^
            ( \use:c { c_fontscalesize_step_fp } /
            \l_fontscalesize_musical_notes_fp )
        }
    }
\dim_compare:nF
{ \c_zero_dim < \use:c { l_fontscalesize_dim } < 2048pt }
{
    \tl_map_break:n
    {
        \msg_error:nnn { fontscalesize } { name-font-size-invalid } {#1}
        { l_fontscalesize_dim }
        \prg_break:
    }
}
\cs_new_protected:Npn \__fontscale_keys_process_sizes:n #1
{
    \quark_if_no_value:cF { l_fontscalesize_tl } #1
    {
        \fp_set:Nn \l_fontscalesize_tmp_fp { \use:c { l_fontscalesize_tl } }
        \dim_set:cn { l_fontscalesize_dim } #1
        {
            \fp_to_dim:n
            { \l_fontscalesize_normalsize_size_fp * \l_fontscalesize_tmp_fp }
        }
        \tl_set:cV { l_fontscalesize_tl } \l_fontscalesize_tmp_fp
\dim_compare:nF
{ \c_zero_dim < \use:c { l_fontscalesize_dim } < 2048pt }
{
    \tl_map_break:n
    {
        \msg_error:nnn { fontscalesize } { name-font-size-invalid } {#1}
        { l_fontscalesize_dim }
        \prg_break:
    }
}
\quark_if_no_value:cT { l_fontscalesize_tl } { \prg_break: }
}

```

```

\quark_if_no_value:cF { l__fontscale_#1_size_tl }
{
    \dim_set:cn { l_fontscalesize_dim } { \use:c { l_fontscalesize_tl } }
    \tl_set:cv { l_fontscalesize_tl } { l_fontscalesize_dim }
    \dim_compare:nF
        { \c_zero_dim < \use:c { l_fontscalesize_dim } < 2048pt }
    {
        \tl_map_break:n
        {
            \msg_error:nnn { fontscalesize } { name-font-size-invalid } {#1}
                { l_fontscalesize_dim }
            \prg_break:
        }
    }
    \quark_if_no_value:cF { l__fontscale_#1_scale_tl }
    {
        \msg_warning:nn { fontscalesize } { key-name-scale-overwritten } {#1}
    }
    \prg_break:
}
\__fontscale_keys_process_sizes_aux:n {#1}
\prg_break:
\prg_break_point:
\fp_set:cn { l_fontscalesize_fp }
{
    \dim_to_fp:n { \use:c { l_fontscalesize_dim } } /
    \l_fontscalesizesize_fp
}
\cs_new_protected:Npn \__fontscale_keys_process_baselineskips:
{
    \tl_map_function:nN
    {
        {tiny} {scriptsize} {footnotesize} {small} {normalsize}
        {large} {Large} {LARGE} {huge} {Huge}
    }
    \__fontscale_keys_process_baselineskips:n
}
\cs_new_protected:Npn \__fontscale_keys_process_baselineskips:n #1
{
    \quark_if_no_value:cF { l__fontscale_#1_baselineskip_size_ratio_tl }
    {
        \fp_set:Nn \l_fontscalesize_fp
            { \use:c { l__fontscale_#1_baselineskip_size_ratio_tl } }
        \skip_set:cn { l_fontscalesize_fp }
        {
            \fp_to_dim:n
            {

```

```

        \dim_to_fp:n { \use:c { l_fontscalesize_dim } } *
        \l_fontscalesize_fp
    }
}
\tl_set:cV { l_fontscalesize_baselineskip_size_ratio_tl }
\l_fontscalesize_fp
\quark_if_no_value:cT { l_fontscalesize_baselineskip_tl }
{ \prg_break: }
}
\quark_if_no_value:cF { l_fontscalesize_baselineskip_tl }
{
\skip_set:cn { l_fontscalesize_baselineskip_skip }
{ \use:c { l_fontscalesize_baselineskip_tl } }
\tl_set:cv { l_fontscalesize_baselineskip_tl }
{ l_fontscalesize_baselineskip_skip }
\quark_if_no_value:cF { l_fontscalesize_baselineskip_size_ratio_tl }
{
\msg_warning:nnn { fontscale }
{ key-name-baselineskip-size-ratio-overwritten } {#1}
}
\prg_break:
}
\skip_set:cn { l_fontscalesize_baselineskip_skip }
{
\fp_to_dim:n
{
\dim_to_fp:n { \use:c { l_fontscalesize_dim } } *
\l_fontscalesize_baselineskip_size_ratio_fp
}
}
\prg_break:
\prg_break_point:
}

```

8 Document commands

```

% Defines the standard LaTeX font size commands from \tiny to \Huge and
% initializes to \normalsize. Sets \@currsize only for compatibility. The
% internal functions are not used elsewhere for compatibility with hooks such
% as \AddToHook{cmd/<font size command>/after}{<code>}.
\tl_map_inline:nn
{
  {tiny} {scriptsize} {footnotesize} {small} {normalsize}
  {large} {Large} {LARGE} {huge} {Huge}
}
{
\use:e

```

```

{
  \DeclareDocumentCommand \exp_not:c {#1} { }
  {
    \exp_not:N \mode_if_math:TF
    {
      \msg_warning:nnn { fontscale } { math-mode-warning }
      { \token_to_str:c {#1} }
    }
    { \exp_not:c { __fontscale_#1: } }
  }
}

\cs_new_protected:cpe { __fontscale_#1: }

{
  \cs_set_eq:NN \exp_not:N \@currsize \exp_not:c {#1}
  \exp_not:N \fontsize
  { \exp_not:N \dim_use:N \exp_not:c { l_fontscale_#1_size_dim } }
  {
    \exp_not:N \skip_use:N
    \exp_not:c { l_fontscale_#1_baselineskip_skip }
  }
  \exp_not:N \selectfont
}
}

\normalsize

\NewExpandableDocumentCommand \currentnormalsize { }

{ __fontscale_normalsize_size: }

\cs_new:Npn __fontscale_normalsize_size:
{ \dim_use:N \l_fontscale_normalsize_size_dim }

\NewExpandableDocumentCommand \currentfontstep { } { __fontscale_step: }

\cs_new:Npn __fontscale_step:
{ \fp_if_nan:nF { \l_fontscale_step_fp } { \fp_use:N \l_fontscale_step_fp } }

\NewExpandableDocumentCommand \currentfontscale { } { __fontscale_scale: }

\cs_new:Npn __fontscale_scale:
{ \fp_use:N \l_fontscale_scale_fp }

\NewExpandableDocumentCommand \currentfontsize { } { __fontscale_size: }

\cs_new:Npn __fontscale_size:
{ \dim_use:N \l_fontscale_size_dim }

\NewExpandableDocumentCommand \currentfontbaselineskip { }

{ __fontscale_baselineskip: }

\cs_new:Npn __fontscale_baselineskip:
{ \skip_use:N \l_fontscale_baselineskip }

\NewDocumentCommand \setfontstep { s m }
{

```

```

\mode_if_math:TF
{
  \msg_warning:nne { fontscale } { math-mode-warning }
  { \token_to_str:N \setfontstep }
}

\IfBooleanTF #1
{ \__fontscale_add_font_step:n {#2} }
{ \__fontscale_set_font_step:n {#2} }

\cs_new_protected:Npn \__fontscale_add_font_step:n #1
{
  \fp_if_nan:nTF { \l__fontscale_step_fp }
  { \msg_error:nn { fontscale } { current-font-step-invalid } }
  { \__fontscale_set_font_step:n { (#1) + \l__fontscale_step_fp } }
}

\cs_new_protected:Npn \__fontscale_set_font_step:n #1
{
  \fp_set:Nn \l__fontscale_tmp_fp {#1}
  \str_case:enF { \__fontscale_fp_eval_round:n { \l__fontscale_tmp_fp } }
  {
    { -4 } { \tiny }
    { -3 } { \scriptsize }
    { -2 } { \footnotesize }
    { -1 } { \small }
    { 0 } { \normalsize }
    { 1 } { \large }
    { 2 } { \Large }
    { 3 } { \LARGE }
    { 4 } { \huge }
    { 5 } { \Huge }
  }
}

\str_if_eq:VnTF \l__fontscale_typographic_scale_str { musical }
{
  \__fontscale_set_font_size:n
  {
    \fp_to_dim:n
    {
      \l__fontscale_musical_base_fp *
      \l__fontscale_musical_ratio_fp ^
      ( \l__fontscale_tmp_fp / \l__fontscale_musical_notes_fp )
    }
  }
}

\msg_error:nne { fontscale } { font-step-invalid }
{ \fp_use:N \l__fontscale_tmp_fp }

```

```

        }
    }

\NewDocumentCommand \setfontscale { s m }
{
    \mode_if_math:TF
    {
        \msg_warning:nne { fontscale } { math-mode-warning }
        { \token_to_str:N \setfontscale }
    }
    {
        \IfBooleanTF #1
        { \__fontscale_add_font_scale:n {#2} }
        { \__fontscale_set_font_scale:n {#2} }
    }
}
\cs_new_protected:Npn \__fontscale_add_font_scale:n #1
{ \__fontscale_set_font_scale:n { (#1) + \l_fontscale_scale_fp } }
\cs_new_protected:Npn \__fontscale_set_font_scale:n #1
{
    \__fontscale_set_font_size:n
    { \fp_to_dim:n { (#1) * \l__fontscale_normalsize_size_fp } }
}

\NewDocumentCommand \setfontsize { s m }
{
    \mode_if_math:TF
    {
        \msg_warning:nne { fontscale } { math-mode-warning }
        { \token_to_str:N \setfontsize }
    }
    {
        \IfBooleanTF #1
        { \__fontscale_add_font_size:n {#2} }
        { \__fontscale_set_font_size:n {#2} }
    }
}
\cs_new_protected:Npn \__fontscale_add_font_size:n #1
{ \__fontscale_set_font_size:n { (#1) + \l_fontscale_size_dim } }

\NewDocumentCommand \scalefont { m }
{
    \mode_if_math:TF
    {
        \msg_warning:nne { fontscale } { math-mode-warning }
        { \token_to_str:N \scalefont }
    }
}

```

```

        { \__fontscale_scale_font:n {#1} }
    }
\cs_new_protected:Npn \__fontscale_scale_font:n #1
{
    \fp_set:Nn \l__fontscale_tmp_fp {#1}
    \__fontscale_set_font_size:nn
    {
        \fp_to_dim:n
        { \l__fontscale_tmp_fp * \dim_to_fp:n { \l_fontscale_size_dim } }
    }
    {
        \fp_to_dim:n
        {
            \l__fontscale_tmp_fp *
            \dim_to_fp:n { \l_fontscale_baselineskip_skip }
        }
    }
}
}

\NewDocumentCommand \setfontsizebaselineskip { m m }
{
    \mode_if_math:TF
    {
        \msg_warning:nne { fontscale } { math-mode-warning }
        { \token_to_str:N \setfontsizebaselineskip }
    }
    { \__fontscale_set_font_size:nn {#1} {#2} }
}

\NewDocumentCommand \setfontbaselineskip { s m }
{
    \mode_if_math:TF
    {
        \msg_warning:nne { fontscale } { math-mode-warning }
        { \token_to_str:N \setfontbaselineskip }
    }
    {
        \IfBooleanTF #1
        { \__fontscale_add_font_baselineskip:n {#2} }
        { \__fontscale_set_font_baselineskip:n {#2} }
    }
}
\cs_new_protected:Npn \__fontscale_add_font_baselineskip:n #1
{
    \__fontscale_set_font_baselineskip:n
    { (#1) + \l_fontscale_baselineskip_skip }
}
\cs_new_protected:Npn \__fontscale_set_font_baselineskip:n #1

```

```

{
  \exp_args:Nne \fontsize { \dim_use:N \l_fontscalesize_dim }
    { \skip_eval:n {#1} }
  \selectfont
}

\NewDocumentCommand \printfontsizeparameters { }
  { \__fontscale_print_font_size_parameters: }
\cs_new_protected:Npn \__fontscale_print_font_size_parameters:
{
  step~ ==
  \fp_if_nan:nF { \l_fontscale_step_fp }
    { \__fontscale_fp_eval_round:n { \l_fontscale_step_fp } }

  ,~
  scale~ == \__fontscale_fp_eval_round:n { \l_fontscale_scale_fp } ,~
  size~ == \dim_use:N \l_fontscalesize_dim ,~
  baselineskip~ == \skip_use:N \l_fontscaleskip
}

\NewDocumentCommand \printallfontsizeparameters { }
{
  \mode_if_math:TF
  {
    \msg_error:nne { fontscale } { math-mode-error }
    { \token_to_str:N \printallfontsizeparameters }
  }
  { \__fontscale_print_all_font_size_parameters: }
}

\cs_new_protected:Npn \__fontscale_print_all_font_size_parameters:
{
  \tl_map_inline:nn
  {
    {tiny} {scriptsize} {footnotesize} {small} {normalsize}
    {large} {Large} {LARGE} {huge} {Huge}
  }
  {
    \token_to_str:c {##1} \o \c_colon_str \c_space_tl
    step~ == \fp_use:c { c_fontscales##1_step_fp } ,~
    scale~ ==
    \str_if_eq:nnTF {##1} { normalsize } { 1 }
    {
      \__fontscale_fp_eval_round:n
        { \use:c { l_fontscales##1_scale_fp } }
    }
    ,~
    size~ == \dim_use:c { l_fontscales##1_size_dim } ,~
    baselineskip~ == \skip_use:c { l_fontscales##1_baselineskip }
    \str_if_eq:nnF {##1} { Huge } { \newline }
  }
}

```

```

        }
    }

\NewDocumentCommand \printsampl{text} { >{ \ReverseBoolean } s +m }
{
    \mode_if_math:TF
    {
        \msg_error:nne { fontscale } { math-mode-error }
        { \token_to_str:N \printsampl{text} }
    }
    {
        \IfBooleanTF #1
        {
            \__fontscale_print_sample_textAscending_order:n {#2}
            \__fontscale_print_sample_textDescending_order:n {#2}
        }
    }
\cs_new_protected:Npn \__fontscale_print_sample_textAscending_order:n #1
{
    \group_begin:
    \tl_map_inline:nn
    {
        \tiny \scriptsize \footnotesize \small \normalsize
        \large \Large \LARGE \huge \Huge
    }
    { ##1 #1 \par }
    \group_end:
}
\cs_new_protected:Npn \__fontscale_print_sample_textDescending_order:n #1
{
    \group_begin:
    \tl_map_inline:nn
    {
        \Huge \huge \LARGE \Large \large
        \normalsize \small \footnotesize \scriptsize \tiny
    }
    { ##1 #1 \par }
    \group_end:
}

\NewDocumentCommand \printfontsizecommand { }
{
    \mode_if_math:TF
    {
        \msg_error:nne { fontscale } { math-mode-error }
        { \token_to_str:N \printfontsizecommand }
    }
    {
        \__fontscale_print_name:
    }
}

```

```

\cs_new_protected:Npn \__fontscale_print_name:
{
  \token_to_str:c
  {
    \dim_case:nnF { \l_fontscale_size_dim }
    {
      { \l_fontscale_tiny_size_dim } { tiny }
      { \l_fontscale_scriptsize_size_dim } { scriptsize }
      { \l_fontscale_footnotesize_size_dim } { footnotesize }
      { \l_fontscale_small_size_dim } { small }
      { \l_fontscale_normalsize_size_dim } { normalsize }
      { \l_fontscale_large_size_dim } { large }
      { \l_fontscale_Large_size_dim } { Large }
      { \l_fontscale_LARGE_size_dim } { LARGE }
      { \l_fontscale_huge_size_dim } { huge }
      { \l_fontscale_Huge_size_dim } { Huge }
    }
    { undefined }
  }
  \o
}

```

9 Purifying text

```

\NewExpandableDocumentCommand \__fontscale_use_none_sm:w { s m } { }
\tl_map_inline:nn
{
  \fontscalesetup
  \setfontstep
  \setfontscale
  \setfontsize
  \setfontbaselineskip
}
{ \text_declare_purify_equivalent:Nn #1 { \__fontscale_use_none_sm:w } }
\text_declare_purify_equivalent:Nn \scalefont { \use_none:n }
\text_declare_purify_equivalent:Nn \setfontsizebaselineskip { \use_none:nn }

```